ELSEVIER

Journal of Affective Disorders 82 (2004) 491–495

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Åberg-Wistedt, A., see Reis, M. (82) 443
Adolfsson, R., see Chotai, J. (82) 61
Ågren, H., see Reis, M. (82) 443
Ahmadi, J., Majdi, B., Mahdavi, S. and Mohagheghzadeh, M.
Mood disorders in opioid-dependent patients (82) 139
Åkerblad, A.-C., see Reis, M. (82) 443
Alevizos, B., see Boufidou, F. (82) 309
Amsterdam, J.D., see Reivich, M. (82) 321
Anda, R.F., see Chapman, D.P. (82) 217
Anderson, A.D., Oquendo, M.A., Parsey, R.V., Milak, M.S., Campbell, C. and Mann, J.J.
Regional brain responses to serotonin in major depressive disorder (82) 411
Anstey, K.J., see Peisah, C. (82) 385
Anthony, J.C., see Wilcox, H.C. (82) 9
Austin, N.B., see Faedda, G.L. (82) 149
Ayuso-Mateos, J.L., see Casey, P. (82) 277
Azzoni, A., see Raja, M. (82) 437

Baldessarini, R.J., see Faedda, G.L. (82) 149
Bando, T., see Shioiri, T. (82) 395
Bär, K.-J., Greiner, W., Jochum, T., Friedrich, M., Wagner, G. and Sauer, H.
The influence of major depression and its treatment on heart rate variability and pupillary light reflex parameters (82) 245
Baumert, J., Simon, H., Gündel, H., Schmitt, C. and Ladwig, K.-H.
The Impact of Event Scale—Revised: evaluation of the subscales and correlations to psychophysiological startle response patterns in survivors of a life-threatening cardiac event: An analysis of 129 patients with an implanted cardioverter defibrillator (82) 29
Beekman, A.T.F., see de Graaf, R. (82) 461
Bengtsson, F., see Reis, M. (82) 443
Biederman, J., Monuteaux, M.C., Faraone, S.V., Hirshfeld-Becker, D.R., Henin, A., Gilbert, J. and Rosenbaum, J.F.
Does referral bias impact findings in high-risk offspring for anxiety disorders? A controlled study of high-risk children of non-referred parents with panic disorder/agoraphobia and major depression (82) 209
Bijl, R.V., see de Graaf, R. (82) 461
Birbeck, G., see Casey, P. (82) 277
Bonne, D., see Weiland-Fiedler, P. (82) 253
Boufidou, F., Nikolaou, C., Alevizos, B., Liappas, I.A. and Christodoulou, G.N.
Cytokine production in bipolar affective disorder patients under lithium treatment (82) 309
Bradshaw, J.L., see Fitzgerald, P.B. (82) 71
Braehler, E., see Rief, W. (82) 271
Brändström, S., see Engström, C. (82) 131
Brodaty, H., see Peisah, C. (82) 385
Brown, T.L., see Fitzgerald, P.B. (82) 71
Brunswick, D.J., see Reivich, M. (82) 321
Buist-Bouwman, M.A., Ormel, J., de Graaf, R. and Vollebergh, W.A.
Functioning after a major depressive episode: complete or incomplete recovery? (82) 363

Campbell, C., see Anderson, A.D. (82) 411
Cardenas, V.A., see Davis, K.A. (82) 475
Casey, P., Birbeck, G., McDonagh, C., Horgan, A., Dowrick, C., Dalgard, O., Lethinen, V., Ayuso-Mateos, J.L., Dunn, G., Page, H., Wilkinson, C., Wilkinson, G. and Vazquez-Barquero, J.L.
Personality disorder, depression and functioning: results from the ODIN study (82) 277
Cederblad, M., see Spotts, E.L. (82) 101
Chan, S.S.M., see Lee, D.T.S. (82) 93
Chang, H.-L., see Yang, H.-J. (82) 419
Chapman, D.P., Whitfield, C.L., Felitti, V.J., Dube, S.R., Edwards, V.J. and Anda, R.F.
Adverse childhood experiences and the risk of depressive disorders in adulthood (82) 217
Charney, D.S., see Weiland-Fiedler, P. (82) 253
Chen, W.J., see Yang, H.-J. (82) 419
Chotai, J., Smedh, K., Nilsson, L.-G. and Adolfsson, R.
A dual vulnerability hypothesis for seasonal depression is supported by the seasonal pattern assessment questionnaire in relation to the temperament and character inventory of personality in a general population (82) 61
Christodoulou, G.N., see Boufidou, F. (82) 309
Chung, T.K.H., see Lee, D.T.S. (82) 93
Cloninger, R., see Engström, C. (82) 131
Cohen, A.N., Hammen, C., Henry, R.M. and Daley, S.E.
Effects of stress and social support on recurrence in bipolar disorder (82) 143

doi:10.1016/S0165-0327(04)00310-6

Cooper, T.B., see Sher, L. (82) 53
Coryell, W., see Dindo, L. (82) 119
Cox, B., see Sareen, J. (82) 113
Cox, B.J., Fleet, C. and Stein, M.B.
Self-criticism and social phobia in the US national comorbidity survey (82) 227
Cox, J., see Felice, E. (82) 297
Coyne, J.C., Thompson, R. and Pepper, C.M.
The role of life events in depression in primary medical care versus psychiatric settings (82) 353
Csorba, J., Rózsa, S., Gádoros, J., Vetró, Á., Kaczvinszky, E., Makra, E., Makra, J. and Kapornay, K.
Corrigendum to "Suicidal depressed vs. non-suicidal depressed adolescents: differences in recent psychopathology" [Journal Affective Disorders 74(2003)229–236] (82) 159

Daley, S.E., see Cohen, A.N. (82) 143
Dalgard, O., see Casey, P. (82) 277
Davis, K.A., Kwon, A., Cardenas, V.A. and Deicken, R.F.
Decreased cortical gray and cerebral white matter in male patients with familial bipolar I disorder (82) 475
de Castella, A., see Fitzgerald, P.B. (82) 71
de Graaf, R., see Neeleman, J. (82) 43
de Graaf, R., see Buist-Bouwman, M.A. (82) 363
de Graaf, R., Bijl, R.V., ten Have, M., Beekman, A.T.F. and Vollebergh, W.A.M.
Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study (82) 461
Deicken, R.F., see Davis, K.A. (82) 475
Dienel, A., see Trautmann-Sponsel, R.D. (82) 303
Dindo, L. and Coryell, W.
Comorbid major depression and panic disorder: significance of temporal sequencing to familial transmission (82) 119
Dowrick, C., see Casey, P. (82) 277
Dube, S.R., see Chapman, D.P. (82) 217
Dunn, G., see Casey, P. (82) 277
Durham, R., see Swan, J. (82) 125

Edwards, V.J., see Chapman, D.P. (82) 217
Eleff, M.K., see Sareen, J. (82) 167
Engström, C., Brändström, S., Sigvardsson, S., Cloninger, R. and Nylander, P.-O.
Bipolar disorder: I. Temperament and character (82) 131
Erickson, K., see Weiland-Fiedler, P. (82) 253
Ernst, C.L. and Goldberg, J.F.
Clinical features related to age at onset in bipolar disorder (82) 21

Faedda, G.L., Baldessarini, R.J., Glovinsky, I.P. and Austin, N.B.
Treatment-emergent mania in pediatric bipolar disorder: a retrospective case review (82) 149
Faraone, S.V., see Biederman, J. (82) 209
Felice, E., Saliba, J., Grech, V. and Cox, J.
Prevalence rates and psychosocial characteristics associated with depression in pregnancy and postpartum in Maltese women (82) 297
Felitti, V.J., see Chapman, D.P. (82) 217
Fidotti, E., see Rubino, I.A. (82) 135
Fitzgerald, P.B., Brown, T.L., Marston, N.A.U., De Castella, Z.J., de Castella, A., Bradshaw, J.L. and Kulkarni, J.
Motor cortical excitability and clinical response to rTMS in depression (82) 71
Fleet, C., see Cox, B.J. (82) 227
Friedrich, M., see Bär, K.-J. (82) 245

Gádoros, J., see Csorba, J. (82) 159
Galfalvy, H.C., see Sher, L. (82) 53
Ganiban, J., see Spotts, E.L. (82) 101
Gastó, C., see Pintor, L. (82) 291
Gilbert, J., see Biederman, J. (82) 209
Gilboa, A., see Kampf-Sherf, O. (82) 453
Glasser, D.B., see Nicolosi, A. (82) 235
Glen, I., see Ross, B.M. (82) 285
Glovinsky, I.P., see Faedda, G.L. (82) 149
Goldberg, J.F., see Ernst, C.L. (82) 21
Grech, V., see Felice, E. (82) 297
Greiner, W., see Bär, K.-J. (82) 245
Gruber, S.A., Rogowska, J. and Yurgelun-Todd, D.A.
Decreased activation of the anterior cingulate in bipolar patients: an fMRI study (82) 191
Gündel, H., see Baumert, J. (82) 29
Günther, T., Holtkamp, K., Jolles, J., Herpertz-Dahlmann, B. and Konrad, K.
Verbal memory and aspects of attentional control in children and adolescents with anxiety disorders or depressive disorders (82) 265

Hammen, C., see Cohen, A.N. (82) 143
Hansson, K., see Spotts, E.L. (82) 101
Hauser, P., see Loftis, J.M. (82) 175
Henin, A., see Biederman, J. (82) 209
Henry, R.M., see Cohen, A.N. (82) 143
Herpertz-Dahlmann, B., see Günther, T. (82) 265
Herva, A., see Timonen, M. (82) 447
Hirshfeld-Becker, D.R., see Biederman, J. (82) 209
Holtkamp, K., see Günther, T. (82) 265
Horgan, A., see Casey, P. (82) 277
Horrobin, D., see Timonen, M. (82) 447
Hosoki, T., see Shioiri, T. (82) 395

Inoue, Y., Tonooka, Y., Yamada, K. and Kanba, S.
Deficiency of theory of mind in patients with remitted mood disorder (82) 403

Jochum, T., see Bär, K.-J. (82) 245
Jokelainen, J., see Timonen, M. (82) 447
Jolles, J., see Günther, T. (82) 265
Jorm, A.F., see Parslow, R.A. (82) 77
Joyce, A.S., see Ogrodniczuk, J.S. (82) 469

Kaczvinszky, E., see Csorba, J. (82) 159
Kampf-Sherf, O., Zlotogorski, Z., Gilboa, A., Speedie, L., Lereya, J., Rosca, P. and Shavit, Y.
Neuropsychological functioning in major depression and responsiveness to selective serotonin reuptake inhibitors antidepressants (82) 453
Kanba, S., see Inoue, Y. (82) 403
Kapornay, K., see Csorba, J. (82) 159
Kato, N., see Matsuo, K. (82) 85
Kato, T., see Matsuo, K. (82) 85
Keitner, G.I., see Miller, I.W. (82) 431
Kim, E.Y. and Miklowitz, D.J.
Expressed emotion as a predictor of outcome among bipolar patients undergoing family therapy (82) 343
Kirshner, A., see Sareen, J. (82) 167
Kitamura, H., see Shioiri, T. (82) 395
Kjernisted, K.D., see Sareen, J. (82) 167
Klaiberg, A., see Rief, W. (82) 271
Kojima, M., see Shioiri, T. (82) 395
Konrad, K., see Günther, T. (82) 265
Kulkarni, J., see Fitzgerald, P.B. (82) 71
Kuo, P.-H., see Yang, H.-J. (82) 419
Kurtsman, L., see Stein, D. (82) 335
Kwon, A., see Davis, K.A. (82) 475

Ladwig, K.-H., see Baumert, J. (82) 29
Laitinen, J., see Timonen, M. (82) 447
Lander, M., see Sareen, J. (82) 167
Lee, D.T.S., Chan, S.S.M., Sahota, D.S., Yip, A.S.K., Tsui, M. and Chung, T.K.H.
A prevalence study of antenatal depression among Chinese women (82) 93
Lereya, J., see Kampf-Sherf, O. (82) 453
Lethinen, V., see Casey, P. (82) 277
Liappas, I.A., see Boufidou, F. (82) 309
Lichtenstein, P., see Spotts, E.L. (82) 101
Loftis, J.M. and Hauser, P.
The phenomenology and treatment of interferon-induced depression (82) 175
Luckenbaugh, D.A., see Weiland-Fiedler, P. (82) 253
Luscombe, G., see Peisah, C. (82) 385

MacVicar, B., see Swan, J. (82) 125
Mahdavi, S., see Ahmadi, J. (82) 139
Majdi, B., see Ahmadi, J. (82) 139
Makra, E., see Csorba, J. (82) 159
Makra, J., see Csorba, J. (82) 159
Mann, J.J., see Sher, L. (82) 53
Mann, J.J., see Anderson, A.D. (82) 411
Marston, N.A.U., see Fitzgerald, P.B. (82) 71
Matrai, S., see Pintor, L. (82) 291
Matsuo, K., Watanabe, A., Onodera, Y., Kato, N. and Kato, T.
Prefrontal hemodynamic response to verbal-fluency task and hyperventilation in bipolar disorder measured by multi-channel near-infrared spectroscopy (82) 85
Matthews, K., see Swan, J. (82) 125
McCombs, J.S., see Shi, L. (82) 373
McDonagh, C., see Casey, P. (82) 277
McWilliams, L., see Sareen, J. (82) 113
Meged, S., see Stein, D. (82) 335
Miklowitz, D.J., see Kim, E.Y. (82) 343
Milak, M.S., see Anderson, A.D. (82) 411
Miller, I.W., Solomon, D.A., Ryan, C.E. and Keitner, G.I.
Does adjunctive family therapy enhance recovery from bipolar I mood episodes? (82) 431
Minassian, A., Paulus, M.P. and Perry, W.
Increased sensitivity to error during decision-making in bipolar disorder patients with acute mania (82) 203
Mohagheghzadeh, M., see Ahmadi, J. (82) 139
Monuteaux, M.C., see Biederman, J. (82) 209
Moreira Jr., E.D., see Nicolosi, A. (82) 235

Nanke, A., see Rief, W. (82) 271
Navarro, V., see Pintor, L. (82) 291
Neeleman, J., de Graaf, R. and Vollebergh, W.
The suicidal process; prospective comparison between early and later stages (82) 43
Neiderhiser, J.M., see Spotts, E.L. (82) 101
Neumeister, A., see Weiland-Fiedler, P. (82) 253
Nicolosi, A., Moreira Jr., E.D., Villa, M. and Glasser, D.B.
A population study of the association between sexual function, sexual satisfaction and depressive symptoms in men (82) 235
Nikolaou, C., see Boufidou, F. (82) 309
Nilsson, L.-G., see Chotai, J. (82) 61
Nishith, P., see Nixon, R.D. (82) 315
Nixon, R.D., Resick, P.A. and Nishith, P.
An exploration of comorbid depression among female victims of intimate partner violence with posttraumatic stress disorder (82) 315
Nuyen, J., see Volkers, A.C. (82) 259
Nylander, P.-O., see Engström, C. (82) 131

Ogrodniczuk, J.S., Piper, W.E. and Joyce, A.S.
Residual symptoms in depressed patients who successfully respond to short-term psychotherapy (82) 469
Onodera, Y., see Matsuo, K. (82) 85
Oquendo, M.A., see Sher, L. (82) 53
Oquendo, M.A., see Anderson, A.D. (82) 411
Ormel, J., see Buist-Bouwman, M.A. (82) 363

Page, H., see Casey, P. (82) 277
Parsey, R.V., see Anderson, A.D. (82) 411
Parslow, R.A. and Jorm, A.F.
Use of prescription medications and complementary and alternative medicines to treat depressive and anxiety symptoms: results from a community sample (82) 77
Paulus, M.P., see Minassian, A. (82) 203
Pedersen, N.L., see Spotts, E.L. (82) 101
Peisah, C., Brodaty, H., Luscombe, G. and Anstey, K.J.
Children of a cohort of depressed patients 25 years later: psychopathology and relationships (82) 385

Pepper, C.M., see Coyne, J.C. (82) 353
Perry, W., see Minassian, A. (82) 203
Pintor, L., Torres, X., Navarro, V., Matrai, S. and Gastó, C.
Is the type of remission after a major depressive episode an important risk factor to relapses in a 4-year follow up? (82) 291
Piper, W.E., see Ogrodniczuk, J.S. (82) 469

Raja, M. and Azzoni, A.
Suicide attempts: differences between unipolar and bipolar patients and among groups with different lethality risk (82) 437
Räsänen, P., see Timonen, M. (82) 447
Reis, M., Åberg-Wistedt, A., Ågren, H., Åkerblad, A.-C. and Bengtsson, F.
Compliance with SSRI medication during 6 months of treatment for major depression: an evaluation by determination of repeated serum drug concentrations (82) 443
Reiss, D., see Spotts, E.L. (82) 101
Reiss, J.P., see Sareen, J. (82) 167
Reivich, M., Amsterdam, J.D., Brunswick, D.J. and Yann Shiue, C.
PET brain imaging with [^{11}C](+)McN5652 shows increased serotonin transporter availability in major depression (82) 321
Remnik, Y., see Stein, D. (82) 335
Resick, P.A., see Nixon, R.D. (82) 315
Rief, W., Nanke, A., Klaiberg, A. and Braehler, E.
Base rates for panic and depression according to the Brief Patient Health Questionnaire: a population-based study (82) 271
Rogowska, J., see Gruber, S.A. (82) 191
Rosca, P., see Kampf-Sherf, O. (82) 453
Rosenbaum, J.F., see Biederman, J. (82) 209
Ross, B.M., Ward, P. and Glen, I.
Delayed vasodilatory response to methylnicotinate in patients with unipolar depressive disorder (82) 285
Rózsa, S., see Csorba, J. (82) 159
Rubino, I.A., Salvadore, G., Siracusano, A., Fidotti, E. and Zuppi, P.
Styles of adaptation in autoimmune thyroiditis and bipolar disorder: a pilot study (82) 135
Ryan, C.E., see Miller, I.W. (82) 431

Sahota, D.S., see Lee, D.T.S. (82) 93
Saliba, J., see Felice, E. (82) 297
Salvadore, G., see Rubino, I.A. (82) 135
Sareen, J., McWilliams, L., Cox, B. and Stein, M.B.
Does a U-shaped relationship exist between alcohol use and DSM-III-R mood and anxiety disorders? (82) 113
Sareen, J., Kirshner, A., Lander, M., Kjernisted, K.D., Eleff, M.K. and Reiss, J.P.
Do antipsychotics ameliorate or exacerbate Obsessive Compulsive Disorder symptoms?: A systematic review (82) 167
Sauer, H., see Bär, K.-J. (82) 245
Schellevis, F.G., see Volkers, A.C. (82) 259
Schmitt, C., see Baumert, J. (82) 29
Shavit, Y., see Kampf-Sherf, O. (82) 453
Sher, L., Oquendo, M.A., Galfalvy, H.C., Cooper, T.B. and Mann, J.J.
Age effects on cortisol levels in depressed patients with and without comorbid post-traumatic stress disorder, and healthy volunteers (82) 53
Shi, L., Thiebaud, P. and McCombs, J.S.
The impact of unrecognized bipolar disorders for patients treated for depression with antidepressants in the fee-for-services California Medicaid (Medi-Cal) program (82) 373
Shioiri, T., Kojima, M., Hosoki, T., Kitamura, H., Tanaka, A., Bando, T. and Someya, T.
Momentary changes in the cardiovascular autonomic system during mental loading in patients with panic disorder: a new physiological index "ρ_{max}" (82) 395
Sigvardsson, S., see Engström, C. (82) 131
Simon, H., see Baumert, J. (82) 29
Siracusano, A., see Rubino, I.A. (82) 135
Smedh, K., see Chotai, J. (82) 61
Solomon, D.A., see Miller, I.W. (82) 431
Someya, T., see Shioiri, T. (82) 395
Soong, W.-T., see Yang, H.-J. (82) 419
Sorrell, E., see Swan, J. (82) 125
Speedie, L., see Kampf-Sherf, O. (82) 453
Spotts, E.L., Neiderhiser, J.M., Ganiban, J., Reiss, D., Lichtenstein, P., Hansson, K., Cederblad, M. and Pedersen, N.L.
Accounting for depressive symptoms in women: a twin study of associations with interpersonal relationships (82) 101
Stein, D., Kurtsman, L., Stier, S., Remnik, Y., Meged, S. and Weizman, A.
Electroconvulsive therapy in adolescent and adult psychiatric inpatients—a retrospective chart design (82) 335
Stein, M.B., see Sareen, J. (82) 113
Stein, M.B., see Cox, B.J. (82) 227
Stier, S., see Stein, D. (82) 335
Swan, J., Sorrell, E., MacVicar, B., Durham, R. and Matthews, K.
"Coping with depression": an open study of the efficacy of a group psychoeducational intervention in chronic, treatment-refractory depression (82) 125

Tanaka, A., see Shioiri, T. (82) 395
Teasdale, J.D., see Watkins, E. (82) 1
Ten Have, M., see de Graaf, R. (82) 461
Thiebaud, P., see Shi, L. (82) 373
Thompson, R., see Coyne, J.C. (82) 353
Timonen, M., Horrobin, D., Jokelainen, J., Laitinen, J., Herva, A. and Räsänen, P.
Fish consumption and depression: the Northern Finland 1966 birth cohort study (82) 447
Tonooka, Y., see Inoue, Y. (82) 403
Torres, X., see Pintor, L. (82) 291
Trautmann-Sponsel, R.D. and Dienel, A.
Safety of *Hypericum* extract in mildly to moderately depressed outpatients: A review based on data from three randomized, placebo-controlled trials (82) 303
Tsui, M., see Lee, D.T.S. (82) 93

Vazquez-Barquero, J.L., see Casey, P. (82) 277
Verhaak, P.F.M., see Volkers, A.C. (82) 259
Vetró, Á., see Csorba, J. (82) 159
Villa, M., see Nicolosi, A. (82) 235
Volkers, A.C., Nuyen, J., Verhaak, P.F.M. and Schellevis, F.G.
The problem of diagnosing major depression in elderly primary care patients (82) 259
Vollebergh, W., see Neeleman, J. (82) 43
Vollebergh, W.A.M., see Buist-Bouwman, M.A. (82) 363
Vollebergh, W.A.M., see de Graaf, R. (82) 461

Wagner, G., see Bär, K.-J. (82) 245
Waldeck, T., see Weiland-Fiedler, P. (82) 253
Ward, P., see Ross, B.M. (82) 285
Watanabe, A., see Matsuo, K. (82) 85
Watkins, E. and Teasdale, J.D.
Adaptive and maladaptive self-focus in depression (82) 1
Weiland-Fiedler, P., Erickson, K., Waldeck, T., Luckenbaugh, D.A., Bonne, D., Bonne, O., Charney, D.S. and Neumeister, A.
Evidence for continuing neuropsychological impairments in depression (82) 253
Weizman, A., see Stein, D. (82) 335
Whitfield, C.L., see Chapman, D.P. (82) 217
Wilcox, H.C. and Anthony, J.C.
Child and adolescent clinical features as forerunners of adult-onset major depressive disorder: retrospective evidence from an epidemiological sample (82) 9
Wilkinson, C., see Casey, P. (82) 277
Wilkinson, G., see Casey, P. (82) 277

Yamada, K., see Inoue, Y. (82) 403
Yang, H.-J., Soong, W.-T., Kuo, P.-H., Chang, H.-L. and Chen, W.J.
Using the CES-D in a two-phase survey for depressive disorders among nonreferred adolescents in Taipei: a stratum-specific likelihood ratio analysis (82) 419
Yann Shiue, C., see Reivich, M. (82) 321
Yip, A.S.K., see Lee, D.T.S. (82) 93
Yurgelun-Todd, D.A., see Gruber, S.A. (82) 191

Zlotogorski, Z., see Kampf-Sherf, O. (82) 453
Zuppi, P., see Rubino, I.A. (82) 135

ELSEVIER

Journal of Affective Disorders 82 (2004) 497–503

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adolescent; Major depression; Epidemiologic studies; Survival analysis; Natural history; Children **82**, 9

Adolescent; CES-D; Two-phase survey; Depressive disorder; Prevalence; Impairment; Stratum-specific likelihood ratio **82**, 419

Adolescents; Electroconvulsive therapy; Affective disorders; Schizophrenia **82**, 335

Affective; Niacin; Methylnicotinate; Patch; Depression **82**, 285

Affective disorders; Electroconvulsive therapy; Adolescents; Schizophrenia **82**, 335

Age; Depression; Post-traumatic stress disorder; Cortisol; Fenfluramine **82**, 53

Age at onset; Bipolar disorder; Rapid cycling; Suicide; Substance abuse **82**, 21

Alcohol; Anxiety; Depression; Comorbidity; U-shaped relationship **82**, 113

Antenatal depression; Perinatal disorders; Women's mental health; Cross-culture; Chinese **82**, 93

Antenatal depression; Pregnancy; Postnatal depression **82**, 297

Anterior cingulate; Dorsolateral prefrontal cortex; Bipolar disorder; fMRI; Stroop **82**, 191

Antidepressant; Misdiagnosis; Bipolar disorders; Suicide risk; Costs **82**, 373

Antidepressants; Complementary and alternative medicines; Anxiolytics; Community survey **82**, 77

Antidepressants; Bipolar disorder; Children; Mania; Stimulants **82**, 149

Antipsychotic; Obsessive Compulsive Disorder; Refractory **82**, 167

Anxiety; Depression; Comorbidity; Alcohol; U-shaped relationship **82**, 113

Anxiety; Neuropsychology; Depression; Children; Memory; Attention **82**, 265

Anxiolytics; Complementary and alternative medicines; Antidepressants; Community survey **82**, 77

Attention; Neuropsychology; Depression; Anxiety; Children; Memory **82**, 265

Audiovisual stimulation; Panic disorder; Cardiovascular autonomic system; Blood pressure; Heart rate **82**, 395

Autoimmune thyroiditis; Serial Color-Word Test; Styles of adaptation; Bipolar disorder **82**, 135

Autonomic function; Depression; Heart rate variability; Pupil; Pupillometry; Selective serotonin reuptake inhibitors (SSRI) **82**, 245

Behavior genetics; Depressive symptoms; Interpersonal relationships **82**, 101

Binding potential; Major depression; PET; [^{11}C](+)McN5652; Serotonin transporter; Neurotransmitters **82**, 321

Bipolar; Personality; Temperament; Character **82**, 131

Bipolar affective disorder; Cytokine production; Lithium treatment; ELISPOT; Psychomeuroimmunology **82**, 309

Bipolar disorder; Age at onset; Rapid cycling; Suicide; Substance abuse **82**, 21

Bipolar disorder; Serial Color-Word Test; Styles of adaptation; Autoimmune thyroiditis **82**, 135

Bipolar disorder; Social support; Life events; Recurrence **82**, 143

Bipolar disorder; Antidepressants; Children; Mania; Stimulants **82**, 149

doi:10.1016/S0165-0327(04)00311-8

Bipolar disorder; Anterior cingulate; Dorsolateral prefrontal cortex; fMRI; Stroop **82**, 191

Bipolar disorder; Mania; Decision-making; Reinforcement; Cognitive dysfunction **82**, 203

Bipolar disorder; Expressed emotion; Family therapy **82**, 343

Bipolar disorder; Suicide; Suicide attempt; Unipolar depression **82**, 437

Bipolar disorder; Cortical gray matter; Magnetic resonance imaging; Brain **82**, 475

Bipolar disorders; Misdiagnosis; Suicide risk; Costs; Antidepressant **82**, 373

Bipolar I disorder; Family therapy; Recovery **82**, 431

Blood pressure; Panic disorder; Cardiovascular autonomic system; Heart rate; Audiovisual stimulation **82**, 395

Brain; Bipolar disorder; Cortical gray matter; Magnetic resonance imaging **82**, 475

[^{11}C](+)McN5652; Major depression; PET; Serotonin transporter; Neurotransmitters; Binding potential **82**, 321

California verbal learning test (CVLT); Major depressive disorder; Cognitive function; Cambridge automated neuropsychological test battery (CANTAB) **82**, 253

Cambridge automated neuropsychological test battery (CANTAB); Major depressive disorder; Cognitive function; California verbal learning test (CVLT) **82**, 253

Cancer; Hepatitis C; Multiple sclerosis; Interferon; Depression; Cytokines **82**, 175

Cardiovascular autonomic system; Panic disorder; Blood pressure; Heart rate; Audiovisual stimulation **82**, 395

CES-D; Two-phase survey; Depressive disorder; Adolescent; Prevalence; Impairment; Stratum-specific likelihood ratio **82**, 419

Character; Personality; Temperament; Bipolar **82**, 131

Child abuse; Depressive disorders **82**, 217

Children; Major depression; Epidemiologic studies; Survival analysis; Natural history; Adolescent **82**, 9

Children; Antidepressants; Bipolar disorder; Mania; Stimulants **82**, 149

Children; Panic disorder; Depression; Comorbidity; High-risk **82**, 209

Children; Neuropsychology; Depression; Anxiety; Memory; Attention **82**, 265

Children; Depression; Families; Relationships; Psychopathology **82**, 385

Chinese; Antenatal depression; Perinatal disorders; Women's mental health; Cross-culture **82**, 93

Chronic; Depression; Treatment refractory; Psychoeducational; "Coping with depression" **82**, 125

Clinical characteristics; Major depression; Elderly; Primary care; Diagnosing **82**, 259

Cognition; Mood disorder; NIRS; Physiological task; Hypofrontality **82**, 85

Cognitive dysfunction; Mania; Bipolar disorder; Decision-making; Reinforcement **82**, 203

Cognitive function; Major depressive disorder; Cambridge automated neuropsychological test battery (CANTAB); California verbal learning test (CVLT) **82**, 253

Cohort study; Depression; Fish consumption **82**, 447

Community; Personality disorder; Social function; Depressive disorders; Outcome **82**, 277

Community survey; Complementary and alternative medicines; Antidepressants; Anxiolytics **82**, 77

Comorbid; Depression; Panic; Familial; Temporal sequence **82**, 119

Comorbidity; Anxiety; Depression; Alcohol; U-shaped relationship **82**, 113

Comorbidity; Panic disorder; Depression; Children; High-risk **82**, 209

Comorbidity; PTSD; Depression; Schemas; Intimate partner violence **82**, 315

Comorbidity; Psychiatric disorders; Determinants; Longitudinal **82**, 461

Complementary and alternative medicines; Antidepressants; Anxiolytics; Community survey **82**, 77

Complete remission; Depression; Partial remission; Relapse; Predictive factors **82**, 291

"Coping with depression"; Depression; Chronic; Treatment refractory; Psychoeducational **82**, 125

Cortical excitability; Repetitive transcranial magnetic stimulation; Depression; Prefrontal cortex; Cortical inhibition **82**, 71

Cortical gray matter; Bipolar disorder; Magnetic resonance imaging; Brain **82**, 475

Cortical inhibition; Repetitive transcranial magnetic stimulation; Depression; Prefrontal cortex; Cortical excitability **82**, 71

Cortisol; Age; Depression; Post-traumatic stress disorder; Fenfluramine **82**, 53

Costs; Misdiagnosis; Bipolar disorders; Suicide risk; Antidepressant **82**, 373

Cross-culture; Antenatal depression; Perinatal disorders; Women's mental health; Chinese **82**, 93

Cytokine production; Bipolar affective disorder; Lithium treatment; ELISPOT; Psychomeuroimmunology **82**, 309

Cytokines; Hepatitis C; Multiple sclerosis; Cancer; Interferon; Depression **82**, 175

Decision-making; Mania; Bipolar disorder; Reinforcement; Cognitive dysfunction **82**, 203

Deliberate self harm; Hopelessness; Suicidal process **82**, 43

Depression; Self-focus; Rumination; Overgeneral memory **82**, 1

Depression; Age; Post-traumatic stress disorder; Cortisol; Fenfluramine **82**, 53

Depression; Repetitive transcranial magnetic stimulation; Prefrontal cortex; Cortical excitability; Cortical inhibition **82**, 71

Depression; Anxiety; Comorbidity; Alcohol; U-shaped relationship **82**, 113

Depression; Comorbid; Panic; Familial; Temporal sequence **82**, 119

Depression; Chronic; Treatment refractory; Psychoeducational; "Coping with depression" **82**, 125

Depression; Hepatitis C; Multiple sclerosis; Cancer; Interferon; Cytokines **82**, 175

Depression; Panic disorder; Children; Comorbidity; High-risk **82**, 209

Depression; Depressive symptoms; Erectile dysfunction; Population; Prevalence; Sexual activity **82**, 235

Depression; Autonomic function; Heart rate variability; Pupil; Pupillometry; Selective serotonin reuptake inhibitors (SSRI) **82**, 245

Depression; Neuropsychology; Anxiety; Children; Memory; Attention **82**, 265

Depression; Patient Health Questionnaire (PHQ); Panic disorder; Sociodemographic risk factors **82**, 271

Depression; Niacin; Methylnicotinate; Affective; Patch **82**, 285

Depression; Partial remission; Complete remission; Relapse; Predictive factors **82**, 291

Depression; PTSD; Schemas; Intimate partner violence; Comorbidity **82**, 315

Depression; Treatment settings; Life events; Primary care **82**, 353

Depression; Functional limitations; General populations **82**, 363

Depression; Children; Families; Relationships; Psychopathology **82**, 385

Depression; SSRI; Sertraline **82**, 443

Depression; Cohort study; Fish consumption **82**, 447

Depression; Residual symptoms; Psychotherapy **82**, 469

Depressive disorder; CES-D; Two-phase survey; Adolescent; Prevalence; Impairment; Stratum-specific likelihood ratio **82**, 419

Depressive disorders; Child abuse **82**, 217

Depressive disorders; Personality disorder; Social function; Community; Outcome **82**, 277

Depressive symptoms; Interpersonal relationships; Behavior genetics **82**, 101

Depressive symptoms; Depression; Erectile dysfunction; Population; Prevalence; Sexual activity **82**, 235

Determinants; Comorbidity; Psychiatric disorders; Longitudinal **82**, 461

D-fenfluramine; Major depressive disorder; Serotonin; Positron emission tomography; Regional glucose metabolic rate response; ^{18}FDG **82**, 411

Diagnosing; Major depression; Elderly; Primary care; Clinical characteristics **82**, 259

Dorsolateral prefrontal cortex; Anterior cingulate; Bipolar disorder; fMRI; Stroop **82**, 191

Elderly; Major depression; Primary care; Diagnosing; Clinical characteristics **82**, 259

Electroconvulsive therapy; Adolescents; Affective disorders; Schizophrenia **82**, 335

ELISPOT; Cytokine production; Bipolar affective disorder; Lithium treatment; Psychomeuroimmunology **82**, 309

Epidemiologic studies; Major depression; Survival analysis; Natural history; Adolescent; Children **82**, 9

Erectile dysfunction; Depressive symptoms; Depression; Population; Prevalence; Sexual activity **82**, 235

Expressed emotion; Bipolar disorder; Family therapy **82**, 343

Extract; *Hypericum*; Outpatients **82**, 303

Familial; Comorbid; Depression; Panic; Temporal sequence **82**, 119

Families; Depression; Children; Relationships; Psychopathology **82**, 385

Family therapy; Expressed emotion; Bipolar disorder **82**, 343

Family therapy; Bipolar I disorder; Recovery **82**, 431

Fenfluramine; Age; Depression; Post-traumatic stress disorder; Cortisol **82**, 53

^{18}FDG; Major depressive disorder; D-fenfluramine; Serotonin; Positron emission tomography; Regional glucose metabolic rate response **82**, 411

Fish consumption; Cohort study; Depression **82**, 447

fMRI; Anterior cingulate; Dorsolateral prefrontal cortex; Bipolar disorder; Stroop **82**, 191

Functional limitations; Depression; General population **82**, 363

General population; Depression; Functional limitations **82**, 363

Heart rate; Panic disorder; Cardiovascular autonomic system; Blood pressure; Audiovisual stimulation **82**, 395

Heart rate variability; Depression; Autonomic function; Pupil; Pupillometry; Selective serotonin reuptake inhibitors (SSRI) **82**, 245

Hepatitis C; Multiple sclerosis; Cancer; Interferon; Depression; Cytokines **82**, 175

High-risk; Panic disorder; Depression; Children; Comorbidity **82**, 209

Hopelessness; Deliberate self harm; Suicidal process **82**, 43

Hyperarousal; Posttraumatic stress disorders; Startle reactions; Psychophysiological assessment; Sensitivity and specificity **82**, 29

Hypericum; Extract; Outpatients **82**, 303

Hypofrontality; Mood disorder; NIRS; Cognition; Physiological task **82**, 85

Impairment; CES-D; Two-phase survey; Depressive disorder; Adolescent; Prevalence; Stratum-specific likelihood ratio **82**, 419

Interferon; Hepatitis C; Multiple sclerosis; Cancer; Depression; Cytokines **82**, 175

Interpersonal relationships; Depressive symptoms; Behavior genetics **82**, 101

Intimate partner violence; PTSD; Depression; Schemas; Comorbidity **82**, 315

Iran; Mood disorder; Opioid dependence **82**, 139

Life events; Bipolar disorder; Social support; Recurrence **82**, 143

Life events; Depression; Treatment settings; Primary care **82**, 353

Lithium treatment; Cytokine production; Bipolar affective disorder; ELISPOT; Psychomeuroimmunology **82**, 309

Longitudinal; Comorbidity; Psychiatric disorders; Determinants **82**, 461

Magnetic resonance imaging; Bipolar disorder; Cortical gray matter; Brain **82**, 475

Major depression; Epidemiologic studies; Survival analysis; Natural history; Adolescent; Children **82**, 9

Major depression; Elderly; Primary care; Diagnosing; Clinical characteristics **82**, 259

Major depression; PET; [^{11}C](+)McN5652; Serotonin transporter; Neurotransmitters; Binding potential **82**, 321

Major depression; Serotonin; Neuropsychological assessment; Prediction of treatment responsiveness **82**, 453

Major depressive disorder; Cognitive function; Cambridge automated neuropsychological test battery (CANTAB); California verbal learning test (CVLT) **82**, 253

Major depressive disorder; D-fenfluramine; Serotonin; Positron emission tomography; Regional glucose metabolic rate response; ^{18}FDG **82**, 411

Mania; Antidepressants; Bipolar disorder; Children; Stimulants **82**, 149

Mania; Bipolar disorder; Decision-making; Reinforcement; Cognitive dysfunction **82**, 203

Memory; Neuropsychology; Depression; Anxiety; Children; Attention **82**, 265

Methylnicotinate; Niacin; Affective; Patch; Depression **82**, 285

Misdiagnosis; Bipolar disorders; Suicide risk; Costs; Antidepressant **82**, 373

Mood disorder; NIRS; Cognition; Physiological task; Hypofrontality **82**, 85

Mood disorder; Opioid dependence; Iran **82**, 139

Mood disorder; Theory of mind; Social brain; Prefrontal cortex **82**, 403

Multiple sclerosis; Hepatitis C; Cancer; Interferon; Depression; Cytokines **82**, 175

National comorbidity survey; Self-criticism; Social phobia **82**, 227

Natural history; Major depression; Epidemiologic studies; Survival analysis; Adolescent; Children **82**, 9

Neuropsychological assessment; Serotonin; Major depression; Prediction of treatment responsiveness **82**, 453

Neuropsychology; Depression; Anxiety; Children; Memory; Attention **82**, 265

Neurotransmitters; Seasonal affective disorder; Personality **82**, 61

Neurotransmitters; Major depression; PET; [^{11}C](+)McN5652; Serotonin transporter; Binding potential **82**, 321

Niacin; Methylnicotinate; Affective; Patch; Depression **82**, 285

NIRS; Mood disorder; Cognition; Physiological task; Hypofrontality **82**, 85

Obsessive Compulsive Disorder; Refractory; Antipsychotic **82**, 167

Opioid dependence; Mood disorder; Iran **82**, 139

Outcome; Personality disorder; Social function; Depressive disorders; Community **82**, 277

Outpatients; *Hypericum*; Extract **82**, 303

Overgeneral memory; Depression; Self-focus; Rumination **82**, 1

Panic; Comorbid; Depression; Familial; Temporal sequence **82**, 119

Panic disorder; Depression; Children; Comorbidity; High-risk **82**, 209

Panic disorder; Patient Health Questionnaire (PHQ); Depression; Sociodemographic risk factors **82**, 271

Panic disorder; Cardiovascular autonomic system; Blood pressure; Heart rate; Audiovisual stimulation **82**, 395

Partial remission; Depression; Complete remission; Relapse; Predictive factors **82**, 291

Patch; Niacin; Methylnicotinate; Affective; Depression **82**, 285

Patient Health Questionnaire (PHQ); Depression; Panic disorder; Sociodemographic risk factors **82**, 271

Perinatal disorders; Antenatal depression; Women's mental health; Cross-culture; Chinese **82**, 93

Personality; Seasonal affective disorder; Neurotransmitters **82**, 61

Personality; Temperament; Character; Bipolar **82**, 131

Personality disorder; Social function; Depressive disorders; Community; Outcome **82**, 277

PET; Major depression; [^{11}C](+)McN5652; Serotonin transporter; Neurotransmitters; Binding potential **82**, 321

Physiological task; Mood disorder; NIRS; Cognition; Hypofrontality **82**, 85

Population; Depressive symptoms; Depression; Erectile dysfunction; Prevalence; Sexual activity **82**, 235

Positron emission tomography; Major depressive disorder; D-fenfluramine; Serotonin; Regional glucose metabolic rate response; ^{18}FDG **82**, 411

Postnatal depression; Pregnancy; Antenatal depression **82**, 297

Post-traumatic stress disorder; Age; Depression; Cortisol; Fenfluramine **82**, 53

Posttraumatic stress disorders; Hyperarousal; Startle reactions; Psychophysiological assessment; Sensitivity and specificity **82**, 29

Prediction of treatment responsiveness; Serotonin; Major depression; Neuropsychological assessment **82**, 453

Predictive factors; Depression; Partial remission; Complete remission; Relapse **82**, 291

Prefrontal cortex; Repetitive transcranial magnetic stimulation; Depression; Cortical excitability; Cortical inhibition **82**, 71

Prefrontal cortex; Theory of mind; Mood disorder; Social brain **82**, 403

Pregnancy; Antenatal depression; Postnatal depression **82**, 297

Prevalence; Depressive symptoms; Depression; Erectile dysfunction; Population; Sexual activity **82**, 235

Prevalence; CES-D; Two-phase survey; Depressive disorder; Adolescent; Impairment; Stratum-specific likelihood ratio **82**, 419

Primary care; Major depression; Elderly; Diagnosing; Clinical characteristics **82**, 259

Primary care; Depression; Treatment settings; Life events **82**, 353

Psychiatric disorders; Comorbidity; Determinants; Longitudinal **82**, 461

Psychoeducational; Depression; Chronic; Treatment refractory; "Coping with depression" **82**, 125

Psychoneuroimmunology; Cytokine production; Bipolar affective disorder; Lithium treatment; ELISPOT **82**, 309

Psychopathology; Depression; Children; Families; Relationships **82**, 385

Psychophysiological assessment; Posttraumatic stress disorders; Hyperarousal; Startle reactions; Sensitivity and specificity **82**, 29

Psychotherapy; Residual symptoms; Depression **82**, 469

PTSD; Depression; Schemas; Intimate partner violence; Comorbidity **82**, 315

Pupil; Depression; Autonomic function; Heart rate variability; Pupillometry; Selective serotonin reuptake inhibitors (SSRI) **82**, 245

Pupillometry; Depression; Autonomic function; Heart rate variability; Pupil; Selective serotonin reuptake inhibitors (SSRI) **82**, 245

Rapid cycling; Bipolar disorder; Age at onset; Suicide; Substance abuse **82**, 21

Recovery; Bipolar I disorder; Family therapy **82**, 431

Recurrence; Bipolar disorder; Social support; Life events **82**, 143

Refractory; Obsessive Compulsive Disorder; Antipsychotic **82**, 167

Regional glucose metabolic rate response; Major depressive disorder; D-fenfluramine; Serotonin; Positron emission tomography; ^{18}FDG **82**, 411

Reinforcement; Mania; Bipolar disorder; Decision-making; Cognitive dysfunction **82**, 203

Relapse; Depression; Partial remission; Complete remission; Predictive factors **82**, 291

Relationships; Depression; Children; Families; Psychopathology **82**, 385

Repetitive transcranial magnetic stimulation; Depression; Prefrontal cortex; Cortical excitability; Cortical inhibition **82**, 71

Residual symptoms; Depression; Psychotherapy **82**, 469

Rumination; Depression; Self-focus; Overgeneral memory **82**, 1

Schemas; PTSD; Depression; Intimate partner violence; Comorbidity **82**, 315

Schizophrenia; Electroconvulsive therapy; Adolescents; Affective disorders **82**, 335

Seasonal affective disorder; Personality; Neurotransmitters **82**, 61

Selective serotonin reuptake inhibitors (SSRI); Depression; Autonomic function; Heart rate variability; Pupil; Pupillometry **82**, 245

Self-criticism; Social phobia; National comorbidity survey **82**, 227

Self-focus; Depression; Rumination; Overgeneral memory **82**, 1

Sensitivity and specificity; Posttraumatic stress disorders; Hyperarousal; Startle reactions; Psychophysiological assessment **82**, 29

Serial Color-Word Test; Styles of adaptation; Autoimmune thyroiditis; Bipolar disorder **82**, 135

Serotonin; Major depressive disorder; D-fenfluramine; Positron emission tomography; Regional glucose metabolic rate response; ^{18}FDG **82**, 411

Serotonin; Major depression; Neuropsychological assessment; Prediction of treatment responsiveness **82**, 453

Serotonin transporter; Major depression; PET; [^{11}C](+)McN5652; Neurotransmitters; Binding potential **82**, 321

Sertraline; SSRI; Depression **82**, 443

Sexual activity; Depressive symptoms; Depression; Erectile dysfunction; Population; Prevalence **82**, 235

Social brain; Theory of mind; Mood disorder; Prefrontal cortex **82**, 403

Social function; Personality disorder; Depressive disorders; Community; Outcome **82**, 277

Social phobia; Self-criticism; National comorbidity survey **82**, 227

Social support; Bipolar disorder; Life events; Recurrence **82**, 143

Sociodemographic risk factors; Patient Health Questionnaire (PHQ); Depression; Panic disorder **82**, 271

SSRI; Depression; Sertraline **82**, 443

Startle reactions; Posttraumatic stress disorders; Hyperarousal; Psychophysiological assessment; Sensitivity and specificity **82**, 29

Stimulants; Antidepressants; Bipolar disorder; Children; Mania **82**, 149

Stratum-specific likelihood ratio; CES-D; Two-phase survey; Depressive disorder; Adolescent; Prevalence; Impairment **82**, 419

Stroop; Anterior cingulate; Dorsolateral prefrontal cortex; Bipolar disorder; fMRI **82**, 191

Styles of adaptation; Serial Color-Word Test; Autoimmune thyroiditis; Bipolar disorder **82**, 135

Substance abuse; Bipolar disorder; Age at onset; Rapid cycling; Suicide **82**, 21

Suicidal process; Deliberate self harm; Hopelessness **82**, 43

Suicide; Bipolar disorder; Age at onset; Rapid cycling; Substance abuse **82**, 21

Suicide; Suicide attempt; Unipolar depression; Bipolar disorder **82**, 437

Suicide attempt; Suicide; Unipolar depression; Bipolar disorder **82**, 437

Suicide risk; Misdiagnosis; Bipolar disorders; Costs; Antidepressant **82**, 373

Survival analysis; Major depression; Epidemiologic studies; Natural history; Adolescent; Children **82**, 9

Temperament; Personality; Character; Bipolar **82**, 131

Temporal sequence; Comorbid; Depression; Panic; Familial **82**, 119

Theory of mind; Mood disorder; Social brain; Prefrontal cortex **82**, 403

Treatment refractory; Depression; Chronic; Psychoeducational; "Coping with depression" **82**, 125

Treatment settings; Depression; Life events; Primary care **82**, 353

Two-phase survey; CES-D; Depressive disorder; Adolescent; Prevalence; Impairment; Stratum-specific likelihood ratio **82**, 419

Unipolar depression; Suicide; Suicide attempt; Bipolar disorder **82**, 437

U-shaped relationship; Anxiety; Depression; Comorbidity; Alcohol **82**, 113

Women's mental health; Antenatal depression; Perinatal disorders; Cross-culture; Chinese **82**, 93